



## Exhibit 1





[www.pubmed.gov](http://www.pubmed.gov)

A service of the National Library of Medicine  
and the National Institutes of Health


My NCBI  
[Sign In] [Register]

[All Databases](#)
[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[OMIM](#)
[PMC](#)
[Journals](#)
[Books](#)

Search PubMed for Go Clear

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)

Display AbstractPlus Show 20 Sort by Send to

All: 1 Review: 0 

1: Tissue Eng. 2006 Jul 1; [Epub ahead of print]

Mary Ann Liebert, Links

**Human Mesenchymal Stem Cells Induce T Cell Anergy and Downregulate T Cell Allo-Responses via the TH2 Pathway: Relevance to Tissue Engineering Human Heart Valves.**

**Batten P, Sarathchandra P, Antoniow JW, Tay SS, Lowdell MW, Taylor PM, Yacoub MH.**

Heart Science Centre, National Heart and Lung Institute, Imperial College London at Harefield Hospital, Harefield, Middlesex, United Kingdom.

To generate an "off the shelf" tissue-engineered heart valve, the cells would need to be of allogeneic origin. Here, we report the possibility of using human bone marrow-derived mesenchymal stem cells (MSCs) as a suitable allogeneic cell source for tissue-engineered heart valves. Proliferative responses of primary and primed CD4(+) T cells to allogeneic MSCs were examined. A protein microarray system was used to detect soluble factors from supernatants collected from the T cell assays. MSCs are poor stimulators of primary and primed CD4(+) T cell proliferation, despite provision of B7-1 trans- co-stimulation. MSCs not only directly inhibited primary and primed T cell responses to allogeneic peripheral blood mononuclear cells (PBMCs), but 24-h pre-culture of T cells with MSCs suppressed subsequent T cell proliferative responses to allogeneic PBMCs in a contact-dependent manner. Analysis of supernatants revealed a distinctly different cytokine profile after co-culture of T cells with MSCs than with PBMCs or endothelial cells. Pro-inflammatory Th1 cytokines interleukin (IL)-1alpha and beta, interferon (IFN) gamma, and tumor necrosis factor (TNF)alpha were downregulated, whereas, anti-inflammatory Th2 cytokines IL-3, IL-5, IL-10, and IL-13 and the Th2 chemokine I-309, a chemoattractant for regulatory T cells, were upregulated. Further analysis revealed that after co-culture with MSCs, the T cells exhibited a regulatory phenotype (CD4(+)CD25(lo)CD69(lo)FoxP3(+)). MSCs downregulate T cell responses through direct contact and secretion of anti-inflammatory and tolerogenic cytokines, which may involve the recruitment of regulatory T cells. This implies that allogeneic MSCs could be a suitable cell source for tissue engineering a heart valve.

PMID: 16831099 [PubMed - as supplied by publisher]

**Related Links**

Human mesenchymal stem cells induce T cell anergy and downregulate T cell allo-responses via the TH2 pathway: relevance to tissue engineering human heart valves. [Tissue Eng. 2006]

T cell responses to allogeneic human mesenchymal stem cells: immunogenicity, tolerance, and suppression. [J Biomed Sci. 2005]

Human mesenchymal stem cells modulate allogeneic immune cell responses. [Blood. 2005]

Interleukin-7-engineered mesenchymal cells: in vitro effects on naive T cell expansion. [Blood. 2006]

Bone marrow mesenchymal stem cells induce division arrest anergy of activated T cells. [Blood. 2005]

See all Related Articles...